

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	565	"428"/\$.ccls. and "breakdown voltage"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:19
L2	124	"360"/\$.ccls. and (breakdown adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:38
L3	2	"6466418".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:39
L4	1350	"dielectric breakdown voltage" and "insulating"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:47
L5	52	"breakdown voltage" and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:48
S1	97	360/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:32
S2	1566	29/603.13 and "spin valve" or (magnetic adj read adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:33
S3	123	"360"/\$.ccls. and "reactive sputtering"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:34
S4	19	"breakdown voltage" and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:47
S5	113	("dielectric" and ("magnetic head" or "magnetic read head")) and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:36

S6	84	360/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:32
S7	14	("4949207" "5073242" "5103553" "5256249" "5287237" "5479696" "5515221" "5557492" "5568335" "5617277" "5675459" "5696656" "5850324" "6024886").PN.	USPAT	OR	ON	2002/11/07 11:43
S8	6	("5302461" "5337203" "5475551" "5555147" "5617277" "5809636").PN.	USPAT	OR	ON	2002/11/07 11:46
S9	1402	29/603.13 and "spin valve" or (magnetic adj read adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:33
S10	65	(29/603.13 and "spin valve" or (magnetic adj read adj head)) and "dielectric"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 12:01
S11	1461	29/603.14 and "spin valve" or (magnetic adj read adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 12:16
S12	77	(29/603.14 and "spin valve" or (magnetic adj read adj head)) and "dielectric"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 12:01
S13	1426	29/603.15 and "spin valve" or (magnetic adj read adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 12:10
S14	76	29/603.15 and ("spin valve" or (magnetic adj read adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 12:11
S15	124	29/603.14 and ("spin valve" or (magnetic adj read adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 14:59
S16	9	("5465185" "5583725" "5701223" "5898549" "5920446" "6181534" "6219208" "6282068" "6317298").PN.	USPAT	OR	ON	2002/11/07 12:28

S17	18	("4947541" "5079035" "5195004" "5206590" "5287238" "5315468" "5500633" "5508867" "5528440" "5574605" "5583725" "5648884" "5654854" "5664316" "5708358" "5772794" "5784225" "5843589").PN.	USPAT	OR	ON	2002/11/07 13:57
S18	76	29/603.15 and ("spin valve" or (magnetic adj read adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 15:46
S19	14	("4782414" "5079035" "5079663" "RE34099" "5175658" "5185293" "5256249" "5271802" "5276579" "5568335" "5641557" "5717228" "5751526" "5876843").PN.	USPAT	OR	ON	2002/11/07 15:43
S20	28	"29"/\$.ccls. and "plasma oxidation"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 15:49
S21	20	"360"/\$.ccls. and "plasma oxidation"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/07 15:54
S22	105	"360"/\$.ccls. and "reactive sputtering"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:34
S23	8	("5268806" "5701222" "5701223" "5731936" "5763108" "5768071" "6046892" "6141191").PN.	USPAT	OR	ON	2002/11/07 16:00
S24	9	("3712575" "4251297" "4320427" "4733455" "4876790" "4927580" "5063653" "5078944" "5136775").PN.	USPAT	OR	ON	2002/11/07 16:04
S25	53	"plasma oxidation" and "reactive sputtering"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 13:32
S26	7060	"plasma oxidation" or "reactive sputtering"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 13:32
S27	64	("plasma oxidation" or "reactive sputtering") and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 13:49

S28	0	"reduced element gap"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 13:50
S29	1996	"dielectric breakdown voltage"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:09
S30	2	"dielectric breakdown voltage" and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 13:56
S31	3	("4751599" "5065270" "5734534").PN.	USPAT	OR	ON	2002/12/03 13:58
S32	1044	"dielectric breakdown voltage" and "insulating"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:47
S33	311	"dielectric breakdown voltage" and "insulating material"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 14:34
S34	1	("dielectric breakdown voltage" and "insulating material") and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 14:35
S35	36033	"breakdown voltage"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 14:38
S36	14	"breakdown voltage" and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:34
S37	1	"6452757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/03 16:02
S38	6	("4469747" "4692344" "5225286" "5707538" "5763108" "6103073").PN.	USPAT	OR	ON	2002/12/03 16:02
S39	87	360/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:23

S40	8	("5302461" "5999379" "6055136" "6188549" "6195229" "6209193" "6215630" "6252749" "2001/0021537" "2001/0028917").PN.	USPAT	OR	ON	2002/12/04 12:47
S41	443	"428"/\$.ccls. and "breakdown voltage"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:18
S42	29	("428"/\$.ccls. and "breakdown voltage") and ("spin valve" or "GMR" or "sensor")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:47
S43	15	(breakdown near2 voltage) and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:37
S44	526	"428"/\$.ccls. and (breakdown near2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:47
S45	33	("428"/\$.ccls. and (breakdown near2 voltage)) and ("spin valve" or "GMR" or "sensor")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:48
S46	29	"360"/\$.ccls. and (breakdown near2 voltage and ("spin valve" or "GMR" or "sensor"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:50
S47	3	29/603\$.ccls. and (breakdown near2 voltage and ("spin valve" or "GMR" or "sensor"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:52
S48	27	"216"/\$.ccls. and (breakdown near2 voltage and ("spin valve" or "GMR" or "sensor"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 13:57
S49	33	"428"/\$.ccls. and (breakdown near2 voltage and ("spin valve" or "GMR" or "sensor"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/04 17:47
S50	1	"6452757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/10 09:28

S51	1	"6452757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/10 10:04
S52	1	"6452757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/10 10:04
S53	2	"6466418".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 14:29
S54	6	("5701223" "5883764" "5896252" "5919580" "6268985" "6348274").PN.	USPAT	OR	ON	2002/12/13 14:19
S55	3	"2000057528".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 14:30
S56	2	"2001291915".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 15:57
S57	1	"6452761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:02
S58	8	("5302461" "5999379" "6055136" "6188549" "6195229" "6209193" "6215630" "6252749" "2001/0021537" "2001/0028917").PN.	USPAT	OR	ON	2002/12/13 15:57
S59	6	("5302461" "5337203" "5475551" "5555147" "5617277" "5809636").PN.	USPAT	OR	ON	2002/12/13 16:00
S60	0	"6452761".URPN.	USPAT	OR	ON	2002/12/13 16:01
S61	0	"06044535.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:02
S62	2	"06044535".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:02
S63	2	"08077515".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:02

S64	2004	"dielectric breakdown voltage"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:10
S65	21	"dielectric breakdown voltage" and ("magnetic head" or "spin valve")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 16:34
S66	336	"dielectric breakdown voltage" and ("insulating layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 17:31
S67	2	"4495219".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 17:52
S68	43	"4495219".URPN.	USPAT	OR	ON	2002/12/13 17:32
S69	2	"5688724".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 17:55
S70	16	("3668004" "3730766" "3967310" "4335391" "4495219" "4636833" "4659606" "4690846" "4891684" "4937650" "4989056" "5072269" "5091761" "5111355" "5173835" "5225286").PN.	USPAT	OR	ON	2002/12/13 17:52
S71	183	"dielectric" and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 18:26
S72	7	("5491600" "5637235" "5731936" "5883764" "5985162" "6228276" "6278589").PN.	USPAT	OR	ON	2002/12/13 18:06
S73	0	"6428714".URPN.	USPAT	OR	ON	2002/12/13 18:08
S74	1635	"dielectric" and ("magnetic head" or "magnetic read head")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/12/13 18:27
S75	89	("dielectric" and ("magnetic head" or "magnetic read head")) and "spin valve"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/05/30 11:35

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	123	360/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:49
L2	155	360/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:50
L3	21	360/324\$.ccls. and (breakdown adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:51
L4	11	360/320.ccls. and (breakdown adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:51
L5	124	"360"/\$.ccls. and (breakdown adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:51
L6	12	29/603\$.ccls. and (breakdown adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:52
S1	4	"6466418".pn. or "6452757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 15:38
S2	2	"5997698".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:14
S3	119	360/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:49
S4	148	360/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/21 07:50

S5	222	360/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:14
S6	153	360/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:14
S7	265	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S8	415	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S9	0	26/603.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:16
S10	0	26/603.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S11	0	26/603.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S12	0	26/603+ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S13	0	26/603+.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:15
S14	0	29/603.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:16
S15	243	29/603.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:18

S16	264	29/603.07.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:18
S17	191	29/603.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:18
S18	341	"360"/\$.ccls. and trench\$	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:19
S19	211	S18 and (magnetic adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:19
S20	131	S19 and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/09/18 16:19